

Computer-Cut Heat Transfer Vinyl

Cutting
films

Printing
films

Other film
types

ALL KINDS OF HEAT TRANSFER VINYL

Since its establishment in 1996, based on over 20 years of experience in the screen printing field, OSUNG C&T developed Korea's first computer-cut heat transfer film for garments and fabrics in 1998. With superior garment adhesion and competitive pricing, we currently export our products to over 40 countries worldwide and are highly recognized in the global market.

Building on our accumulated experience and technical expertise, OSUNG C&T has established itself as a leading company in the heat transfer film industry for sportswear and athletic apparel. By continuously developing and supplying a diverse range of products, we contribute to the advancement of the domestic fashion and printing industries.

Furthermore, as the official Korean distributor of HIX (USA), HANCOLOR (China), and GALAXY (China), we supply various sizes of heat presses and DTF printer systems to the domestic market.


Moving forward, OSUNG C&T will continue to contribute to the development of the textile printing industry through ongoing technological innovation and quality enhancement. We remain committed to providing our customers with products and services of the highest quality.

A pair of hands gently cradles a small globe of the Earth. The background is a soft-focus bokeh of warm, golden light, with a bright sunburst effect emanating from behind the globe, creating a sense of hope and global unity.


Jung

CEO Youngdae Jung


OUR HISTORY



PRODUCTION PROCESS I



PRODUCTION PROCESS II




MANUFACTURING FACILITY



Vinyl Cutting Film

- | | |
|----------------------|----------------------------|
| 1. OS 2000 FLEX | 10. OS FOAM |
| 2. OSPN PU NORMAL | 11. OSS SILICONE |
| 3. OSF FLOCK | 12. OSTs TWO TONE SILICONE |
| 4. OSH HOLOGRAM | 13. OS UV FILM |
| 5. OSG GLITTER | 14. OS SUB WHITE |
| 6. OS FOIL | 15. OS GLOW IN THE DARK |
| 7. OSHP HOLO PATTERN | 16. OSR REFLECTIVE |
| 8. OS PUFF | 17. OSPL LEATHER |
| 9. OSGP GLITTER PUFF | |



OS 2000 FLEX is Korea's first PVC heat transfer film, developed by OSUNG C&T. It is our most popular product, offering excellent garment adhesion, easy workability, stable quality, and competitive pricing.



Specifications

- ◆ **Thickness:** 190micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length

Color selection


58 colors

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 5 ~ 8 seconds



OS001 WHITE	OS002 BLACK	OS003 ROYAL BLUE	OS004 NAVY BLUE	OS005 SKY BLUE	OS006 YELLOW
OS007 GOLDEN YELLOW	OS008 RED	OS009 ORANGE	OS010 PURPLE	OS011 GREEN	OS012 GRAY
OS013 BROWN	OS014 PINK	OS015 MAROON	OS016 GOLD	OS017 SILVER	OS018 DARK BLUE
OS019 DEEP BLUE	OS020 HOT RED	OS021 DARK GREEN	OS022 LIME YELLOW	OS023 AQUA BLUE	OS024 AQUA MARINE
OS025 CAMEL	OS026 FUCHSIA	OS027 KHAKI	OS028 LIGHT GREEN	OS029 DARK SILVER	OS030 LIGHT GRAY
OS031 NEON YELLOW	OS032 NEON ORANGE	OS033 NEON PINK	OS034 NEON GREEN	OS035 NEON BLUE	OS041 MID BLUE
OS042 MAGENTA	OS043 BEIGE	OS044 LIME GREEN	OS045 OCEAN BLUE	OS046 DARK NAVY	OS047 DARK ORANGE
OS048 LIGHT CAMEL	OS049 DARK KHAKI	OS050 ROSE GOLD	OS051 PEACH	OS052 SWEET YELLOW	OS053 DUST NAVY
OS054 FOREST GREEN	OS055 WARM GRAY	OS056 COOL GRAY	OS057 DARK SHADOW	OS058 CHARCOAL	OS801 PASTEL YELLOW
OS802 PASTEL PINK	OS803 PASTEL PURPLE	OS804 PASTEL GREEN	OS805 PASTEL BLUE		



OS PU NORMAL is a thin, soft, and eco-friendly polyurethane film with a smooth touch. With excellent elasticity and resilience, it is the ideal choice for sportswear and outdoor apparel.



Specifications

- ◆ **Thickness:** 75micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length

Color selection



58 colors

Directions

- ◆ **Temperature:** 145 ~ 155°C
- ◆ **Time:** 5 ~ 8 seconds



OSPN001 WHITE	OSPN002 BLACK	OSPN003 ROYAL BLUE	OSPN004 NAVY BLUE	OSPN005 YELLOW	OSPN006 RED
OSPN007 ORANGE	OSPN008 GREEN	OSPN009 GRAY	OSPN010 DARK GRAY	OSPN011 GOLD	OSPN012 SILVER
OSPN013 GOLDEN YELLOW	OSPN014 SKY BLUE	OSPN015 PURPLE	OSPN016 MAROON	OSPN017 ROSE GOLD	OSPN018 WARM GRAY
OSPN019 BROWN	OSPN020 NEON YELLOW	OSPN021 NEON ORANGE	OSPN022 NEON PINK	OSPN023 NEON GREEN	OSPN024 NEON BLUE
OSPN025 MID BLUE	OSPN026 LIGHT BLUE	OSPN027 AQUA BLUE	OSPN028 AQUA MARINE	OSPN029 TURQUOISE	OSPN030 SEAFOAM BLUE
OSPN031 PASTEL JADE	OSPN032 KHAKI	OSPN033 ARMY GREEN	OSPN034 LIGHT GREEN	OSPN035 APPLE GREEN	OSPN036 MINT
OSPN037 PASTEL GRASS	OSPN038 RED ORANGE	OSPN039 YELLOW ORANGE	OSPN040 TANGERINE	OSPN041 LEMON YELLOW	OSPN042 LIME YELLOW
OSPN043 BURGUNDY	OSPN044 MAGENTA	OSPN045 FUCHSIA	OSPN046 SUN RED	OSPN047 PINK	OSPN048 SALMON
OSPN049 WHEAT	OSPN050 VEGAS GOLD	OSPN051 BEIGE	OSPN052 CREAM	OSPN053 GRAPE	OSPN054 LAVENDER
OSPN055 COOL GRAY	OSPN056 DARK GREEN	OSPN057 CAMEL	OSPN058 TEAL		



OSF FLOCK is a high-quality rayon heat transfer film featuring a soft velvet texture and a luxurious appearance.



Specifications

- ◆ **Thickness:** 400micron(±50)
- ◆ **Size:** 50cm width * 25M length

Color selection


15 colors

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 8 ~ 10 seconds



OSF001 WHITE	OSF002 BLACK	OSF003 ROYAL BLUE	OSF004 NAVY BLUE	OSF005 SKY BLUE	OSF006 YELLOW
OSF007 PINK	OSF008 RED	OSF009 ORANGE	OSF010 BEIGE	OSF011 GREEN	OSF012 GRAY
OSF013 GOLDEN YELLOW	OSF014 APPLE GREEN	OSF015 PURPLE			



OSH HOLOGRAM features brilliant colors that shift with the angle of light, creating a luxurious and sparkling effect.



Specifications

- ◆ **Thickness:** 100micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length
50cm width * 100M length

Color selection



18 colors

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 5 ~ 8 seconds



OSH301 RAINBOW	OSH302 SPECTRUM	OSH303 SPARKLE SILVER	OSH304 SPARKLE GOLD	OSH305 SPARKLE RED	OSH306 SPARKLE LIGHT BLUE
OSH307 SPARKLE BLUE	OSH308 SPARKLE PURPLE	OSH309 SPARKLE GREEN	OSH310 SPARKLE PINK	OSH311 GOLD	OSH312 SILVER
OSH313 CLEAR	OSH314 CRYSTAL	OSH315 ROUND MULTI	OSH316 MULTI	OSH317 CRYSTAL GOLD	OSH318 SPARKLE BLACK



OSG GLITTER is a heat transfer film coated with glitter powder, offering sparkling effects and brilliant visual expression.



Specifications

- ◆ **Thickness:** 300micron(±30)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length

Color selection


29 colors

Directions

- ◆ **Temperature:** 160 ~ 170°C
- ◆ **Time:** 7 ~ 10 seconds



OSG01 GOLD	OSG02 SILVER	OSG03 SILVER SHIMMER	OSG04 CLEAR SHIMMER	OSG05 BLUE	OSG06 RED
OSG07 NAVY	OSG08 GREEN	OSG09 LIGHT GREEN	OSG10 BROWN	OSG11 PINK	OSG12 DEEP MULTI
OSG13 DARK GOLD	OSG14 BLACK	OSG15 PURPLE	OSG16 LIGHT PURPLE	OSG17 GREEN SHIMMER	OSG18 WINE
OSG19 MULTI	OSG20 AQUA BLUE	OSG21 CHERRY	OSG22 LAVENDER	OSG23 ORANGE	OSG24 NEON YELLOW
OSG25 NEON ORANGE	OSG26 NEON PINK	OSG27 NEON GREEN	OSG28 NEON BLUE	OSG29 ROSE GOLD	



OS FOIL is a heat transfer film with a smooth surface and metallic luster, offering brilliant and shiny metallic effects.



Specifications

- ◆ **Thickness:** 70micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length

Color selection



23 colors

Directions

- ◆ **Temperature:** 140 ~ 150°C
- ◆ **Time:** 5 ~ 8 seconds



OSFOIL GOLD	OSFOIL SILVER	OSFOIL BRONZE	OSFOIL METAL BLACK	OSFOIL BLACK	OSFOIL RED
OSFOIL CAMO	OSFOIL CAMO NAVY	OSFOIL CAMO RED	OSFOIL CAMO SILVER	OSFOIL SPECTRUM	OSFOIL PATTERN1
OSFOIL PATTERN2	OSFOIL PATTERN3	OSFOIL PATTERN4	OSFOIL CAMO A	OSFOIL CAMO B	OSFOIL CAMO C
OSFOIL MULTI	OSFOIL ROUND MULTI	OSFOIL SPARKLE GOLD	OSFOIL SPARKLE SILVER	OSFOIL ROSE GOLD	



OSHP HOLO PATTERN is a patterned film with a unique holographic design, offering brilliant hologram effects when cut into desired shapes and images.



Specifications

- ◆ **Thickness:** 75micron(± 10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length

Color selection


9 colors

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds



	OSHP01 SQUARE GOLD		OSHP02 SQUARE SILVER		OSHP03 ZIGZAG WHITE		OSHP04 ZIGZAG BLACK		OSHP05 HC GOLD		OSHP06 HC SILVER
	OSHP07 LINE GOLD		OSHP08 LINE SILVER		OSHP09 DOT						



OS PUFF is a foaming-type heat transfer film that swells when heat is applied, creating vivid 3D designs. Made of polyurethane, it features a soft surface texture and smooth finish.





Specifications

- ◆ **Thickness:** 140micron(± 10)
After pressing,
400micron
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length

Color selection

21 colors

	OSPUFF01 WHITE		OSPUFF02 BLACK		OSPUFF03 ROYAL BLUE		OSPUFF04 NAVY BLUE		OSPUFF05 YELLOW		OSPUFF06 RED
	OSPUFF07 HOT RED		OSPUFF08 ORANGE		OSPUFF09 GREEN		OSPUFF10 GRAY		OSPUFF11 DARK GRAY		OSPUFF12 GOLDEN YELLOW
	OSPUFF13 PURPLE		OSPUFF14 PINK		OSPUFF15 NEON YELLOW		OSPUFF16 NEON ORANGE		OSPUFF17 NEON PINK		OSPUFF18 NEON GREEN
	OSPUFF19 NEON BLUE		OSPUFF20 LIGHT PURPLE		OSPUFF21 SKY BLUE						



OSGP GLITTER PUFF is a special film that combines the sparkling effect of glitter with a three-dimensional foaming effect.



Specifications

- ◆ **Thickness:** 275micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length

Color selection


9 colors

Directions

- ◆ **Temperature:** 160 ~ 170°C
- ◆ **Time:** 8 ~ 10 seconds



 OSGP01 GOLD	 OSGP02 SILVER	 OSGP03 WHITE	 OSGP04 BLACK	 OSGP05 NEON YELLOW	 OSGP06 NEON ORANGE
 OSGP07 NEON PINK	 OSGP08 NEON GREEN	 OSGP09 NEON BLUE			



OS FOAM is a 750-micron thick polyurethane film that offers a soft touch and delivers an excellent three-dimensional effect.



Specifications


- ◆ **Thickness:** 750micron(±50)
- ◆ **Size:** 50cm width * 15M length

Color selection



2 colors

Directions

- ◆ **Temperature:** 155 ~ 165°C
- ◆ **Time:** Front 8 ~ 10 seconds,
Back 5seconds



 OSFOAM WHITE	 OSFOAM BLACK
---	---



OSS SILICONE is a silicone heat transfer film with a soft, smooth surface finish that offers a pleasant thickness and excellent cutting performance.



Specifications

- ◆ **Thickness:** 350micron(±50)
650micron(±50)
- ◆ **Size:** 50cm width * 25M length

Color selection


13 colors

Directions

- ◆ **Temperature:** 155 ~ 165°C
- ◆ **Time:** 8 ~ 10 seconds



 OSS301 WHITE	 OSS302 BLACK	 OSS303 ROYAL BLUE	 OSS304 YELLOW	 OSS305 RED	 OSS306 GRAY
 OSS307 DARK GRAY	 OSS308 NEON YELLOW	 OSS309 NEON ORANGE	 OSS310 NEON RED	 OSS313 GOLD	 OSS314 SILVER
 OSS315 LEMON YELLOW					



OSTS TWO TONE SILICONE is a special film that combines a foaming effect with silicone material, creating a two-tone color appearance after pressing.



Specifications


- ◆ **Thickness:** 250micron(±10)
After pressing,
350micron(±50)
- ◆ **Size:** 50cm width * 25M length

Color selection

10 colors



Directions

- ◆ **Temperature:** 140 ~ 150°C
- ◆ **Time:** 8 ~ 10 seconds



 OSTS01 WH BLACK	 OSTS02 WH NEON YELLOW	 OSTS03 WH NEON ORANGE	 OSTS04 WH NEON PINK	 OSTS05 WH NEON GREEN	 OSTS06 BK WHITE
 OSTS07 BK NEON YELLOW	 OSTS08 BK NEON ORANGE	 OSTS09 BK NEON PINK	 OSTS10 BK NEON GREEN		





OS UV FILM is a reactive film that changes color when exposed to UV light, offering unique and eye-catching visual effects.




Specifications

- ◆ **Thickness:** 120micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length



Color selection

4 colors



Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds



OS SUB WHITE is a film that prevents fabric dye migration onto the film surface. With excellent durability and functionality, it is widely used for sportswear applications.



Specifications


- ◆ **Thickness:** 120micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length



Color selection

WHITE

Directions

- ◆ **Temperature:** 155 ~ 165°C
- ◆ **Time:** 6 ~ 8 seconds





OS GLOW IN THE DARK is a photoluminescent film that absorbs and stores light in bright environments, then emits a soft glow in the dark.



Specifications





- ◆ **Thickness:** 120micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length

Color selection

7 colors

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds



OSR REFLECTIVE is a functional film that strongly reflects light when exposed to illumination, enhancing visibility and safety in dark environments.



Specifications

- ◆ **Thickness:** 120micron(±10)
- ◆ **Size:** 50cm width * 25M length
50cm width * 50M length


Color selection

6 colors

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 8 ~ 10 seconds





OSPL PU LEATHER is a thick polyurethane film that reproduces the unique texture and appearance of leather, creating a luxurious and voluminous effect.



Specifications


- ◆ **Thickness:** 700micron(±50)
- ◆ **Size:** 50cm width * 25M length

Color selection

8 colors

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds




 OSPL001 PLAIN BLACK	 OSPL002 PLAIN BROWN	 OSPL003 PLAIN CAMEL	 OSPL004 PLAIN GRAY	 OSPL101 LEATHER BLACK	 OSPL102 LEATHER RED
 OSPL103 LEATHER BROWN	 OSPL104 LEATHER NAVY				



Printable Film

1. OS100-PVC COMPRINTER
2. OS200-PU COMPRINTER
3. OS300-NYLON COMPRINTER
4. OS710-NEW PS COMPRINTER
5. OS-CLEAR COMPRINTER
6. OS-FOIL COMPRINTER
7. OS-PUFF COMPRINTER
8. OS-FOAM COMPRINTER
9. OS-SUB COMPRINTER
10. OS-GLOW IN THE DARK COMPRINTER



OS100-PVC COMPRINTER is a printable PVC film for solvent inks, widely used for uniforms and workwear thanks to its excellent durability and competitive pricing.

Specifications

- ◆ **Thickness:** 160micron(±10)
- ◆ **Size:** 50cm width * 50M length
100cm width * 25M length

Directions

- ◆ **Temperature:** 155 ~ 165°C
- ◆ **Time:** 8 ~ 10 seconds



OS300-NYLON COMPRINTER uses a nylon-based hot melt adhesive and is designed for nylon fabrics, water-repellent or waterproof materials, sportswear, and labels.

Specifications

- ◆ **Thickness:** 80micron(±10)
- ◆ **Size:** 50cm width * 50M length
100cm width * 50M length

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds




OS200-PU COMPRINTER is a 100% polyurethane printable film offering exceptional softness and elasticity, ideal for high-stretch, high-adhesion apparel.

Specifications

- ◆ **Thickness:** 80micron(±10)
- ◆ **Size:** 50cm width * 50M length
100cm width * 50M length

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds



OS710-NEW PS COMPRINTER is a printable film with enhanced wash durability, delivering stable print quality and competitive pricing.

Specifications

- ◆ **Thickness:** 80micron(±10)
- ◆ **Size:** 50cm width * 50M length
100cm width * 50M length

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds





OS-CLEAR COMPRINTER is a translucent printable film designed for white and light-colored fabrics, offering a soft texture and unique printability.



Specifications

- ◆ **Thickness:** 80micron(± 10)
- ◆ **Size:** 50cm width * 50M length

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds



OS-PUFF COMPRINTER is a foaming-type printable polyurethane film that delivers an excellent three-dimensional effect with superior printability and foaming performance.




Specifications

- ◆ **Thickness:** 140micron(± 10)
After pressing,
400micron(± 50)
- ◆ **Size:** 50cm width * 50M length

Directions

- ◆ **Temperature:** 160 ~ 170°C
- ◆ **Time:** 6 ~ 8 seconds



OS-FOIL COMPRINTER is a printable film that creates a shiny metallic finish by printing on foil with a metallic luster effect.




Specifications

- ◆ **Thickness:** 80micron(± 10)
- ◆ **Size:** 50cm width * 50M length

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds



OS-FOAM COMPRINTER is a 600-micron thick printable polyurethane film that offers a soft touch and delivers an excellent three-dimensional effect.




Specifications

- ◆ **Thickness:** 600micron(± 50)
- ◆ **Size:** 50cm width * 25M length

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds





OS-SUB COMPRINTER is a printable film that prevents fabric dye migration onto the film surface. With excellent durability and functionality, it is widely used for sportswear.





Specifications

- ◆ **Thickness:** 120micron(±10)
- ◆ **Size:** 50cm width * 50M length

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds



OS-GLOW IN THE DARK COMPRINTER is a photoluminescent printable film that absorbs and stores light in bright environments, then emits a soft glow in the dark.



Specifications

- ◆ **Thickness:** 120micron(±10)
- ◆ **Size:** 50cm width * 50M length

Directions

- ◆ **Temperature:** 150 ~ 160°C
- ◆ **Time:** 6 ~ 8 seconds



Other Films

1. OS-MASK TACK
2. OS-DTF FILM
3. OS-AUTOMELT FILM



OS-MASK TACK is an adhesive protective polyester film for printable film applications, offering excellent heat resistance for high-temperature processes. Available in two types based on adhesive strength.

Specifications

MASK TACK

- ◆ **Thickness:** 50micron(±10)
- ◆ **Adhesion Strength:** Strength
- ◆ **Size:** 50cm width * 50M length

MEDIUM MASK TACK

- ◆ **Thickness:** 75micron(±10)
- ◆ **Adhesion Strength:** Strength
- ◆ **Size:** 50cm width * 50M length
100cm width * 50M length



OS-DTF FILM is a DTF printing film offering excellent printability and convenient workability. Available in single-sided matte, double-sided matte types, supporting both hot peel and cold peel processes.

Specifications

- ◆ **Thickness:** 75micron(±10)
- ◆ **Size:** 60cm width * 100M length

Directions



- ◆ **Temperature:** 155 ~ 165°C
- ◆ **Time:** 6 ~ 10 seconds



OS-AUTOMELT FILM is a printable film for automotive safety and warning labels, combining superior heat and water resistance to withstand demanding vehicle environments. Custom specifications are available to meet customer requirements.

Specifications

Customization Available



40+ COUNTRIES 30 YEARS HISTORY

HEAD QUARTER

PHONE:
+82-2-3664-5577

FAX:
+82-2-3665-4789

E-MAIL:
export@ostco.com

WEBSITE:
<http://ostco.com>



1ST FACTORY

PHONE:
+82-31-863-5477

FAX:
+82-31-863-4789



2ND FACTORY

PHONE:
+82-31-864-7289



 O-SUNG C&T



Osung Building, 465 Gonghang-daero, Gangseo-gu, Seoul, Republic of Korea

TEL. +82-2-3664-5577 **FAX.** +82-2-3665-4789

www.ostco.com